

LAMINATING COMPANY OF AMERICA

20322 Windrow Dr.
Lake Forest, CA 92630

March 31, 2008

Lab No. 08C-0413

Invoice No. 91404

P. O. No. Ron Desormiers RoHS Testing

Page 1 of 1

Attention: Ron Desormiers

REPORT OF INSPECTION

MATERIAL: LCOA Bullseye, LCOA Spectrum Gold, and Slick Back

SUBJECT: Chemical Analysis for Regulated Substances (Hexavalent Chromium, Cadmium, Mercury and Lead)

REGULATION: RoHS (2006)

METHODS:
Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES), Colorimetric Cold Vapor Atomic Absorption (CVAA), Energy-Dispersive Spectroscopy

RESULTS:

The analysis indicates that the above-referenced sample is in compliance with the requirements of the RoHS Regulations (2006) with respect to the analyzed parameters. The details of the analysis is presented in the following table.

Compound	LCOA Bullseye	LCOA Spectrum Gold	Slick Back	Method Detection Limit (%)
Hexavalent Chromium	Not Detected	Not Detected	Not Detected	0.05
Cadmium	Not Detected	Not Detected	Not Detected	0.01
Mercury	Not Detected	Not Detected	Not Detected	0.05
Lead	Not Detected	Not Detected	Not Detected	0.05
Polybrominated Diphenyl Ether (PBDE)	Not Detected	Not Detected	Not Detected	0.01
Polybrominated Biphenyl (PBB)	Not Detected	Not Detected	Not Detected	0.01


 Robin E. Sinn
 Laboratory Director



Certificate No. 0397-01
Certificate No. 0397-02

